

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application. Please add new claims 15-16 as shown.


1-11. (Canceled).

12. (Previously Presented) A method of treatment or prophylaxis of dermatomycoses comprising administering a composition in a pharmacologically effective amount to a patient in need thereof wherein the composition is a gel composition and comprises:

at least one hydrophilic gel-forming agent;

at least one spreading agent; and

an active component consisting essentially of at least one compound chosen from a compound of formula (I) and physiologically tolerable salts thereof:



wherein R<sup>1</sup>, R<sup>2</sup>, and R<sup>3</sup>, which are identical or different, are a hydrogen atom or alkyl group having 1 to 4 carbon atoms, and R<sup>4</sup> is a saturated hydrocarbon radical having 6 to 9 carbon atoms; and

wherein the composition is substantially free of any additional active components.

13. (Previously Presented) The method of claim 12, wherein the active component consists essentially of 1-hydroxy-4-methyl-6-cyclohexyl-2(1H)pyridone, at least one physiologically tolerable salt thereof, or a mixture of the foregoing.

14. (Previously Presented) The method of claim 12, wherein the active component consists essentially of 1-hydroxy-4-methyl-6-(2,4,4,-trimethylpentyl)-2(1H)pyridone, at least one physiologically tolerable salt thereof, or a mixture of the foregoing.

15. (New) A method of treatment or prophylaxis of fungus of the foot comprising administering a composition in a pharmacologically effective amount to a patient in need thereof wherein the composition is a gel composition and comprises:

at least one hydrophilic gel-forming agent;

at least one spreading agent; and

an active component, wherein the active component consists essentially of 1-hydroxy-4-methyl-6-cyclohexyl-2(1H)pyridone; and

wherein the composition is substantially free of any additional active components.

16. (New) A method of treatment or prophylaxis of fungus of the foot comprising administering a composition in a pharmacologically effective amount to a patient in need thereof wherein the composition is a gel composition and comprises:

at least one hydrophilic gel-forming agent;

at least one spreading agent; and

an active component, wherein the active component consists essentially of 1-hydroxy-4-methyl-6-(2,4,4-trimethylpentyl)-2(1H)pyridone; and

wherein the composition is substantially free of any additional active components.